


Log Cabin




10 ½" finished quilt block
7" finished quilt block

Log Cabin

Sample Quilt Layouts



Streak of Lightning Setting




Sunshine and Shadow Setting

Log Cabin


Sample Quilt Layouts



Barn Raising Setting



Straight Furrows Setting



Log Cabin

10 ½" finished quilt block

How-to Notes



Bisect square on one diagonal



Bisect square on both diagonals

*All seam allowances are ¼" unless noted otherwise

Centre

Centre — Typically red to signify the “hearth” of the home, but can be any colour

Cut 1 square 2”

Light Side

One fabric or assorted light fabrics

Cut 1 rectangle 2” x 3 ½”

Cut 1 rectangle 2” x 5”

Cut 1 rectangle 2” x 6 ½”

Cut 1 rectangle 2” x 8”

Cut 1 rectangle 2” x 9 ½”

Cut 1 rectangle 2” x 11”

Dark Side

One fabric or assorted dark fabrics

Cut 1 square 2”


Cut 1 rectangle 2” x 3 ½”

Cut 1 rectangle 2” x 5”

Cut 1 rectangle 2” x 6 ½”

Cut 1 rectangle 2” x 8”

Cut 1 rectangle 2” x 9 ½”



Log Cabin

7" finished quilt block

How-to Notes



Bisect square on one diagonal



Bisect square on both diagonals

*All seam allowances are ¼" unless noted otherwise

Centre

Centre — Typically red to signify the "hearth" of the home, but can be any colour
Cut 1 square 1 ½"

Light Side

One fabric or assorted light fabrics
Cut 1 rectangle 1 ½" x 2 ½"
Cut 1 rectangle 1 ½" x 3 ½"
Cut 1 rectangle 1 ½" x 4 ½"
Cut 1 rectangle 1 ½" x 5 ½"
Cut 1 rectangle 1 ½" x 6 ½"
Cut 1 rectangle 1 ½" x 7 ½"

Dark Side

One fabric or assorted dark fabrics
Cut 1 square 1 ½"
Cut 1 rectangle 1 ½" x 2 ½"
Cut 1 rectangle 1 ½" x 3 ½"
Cut 1 rectangle 1 ½" x 4 ½"
Cut 1 rectangle 1 ½" x 5 ½"
Cut 1 rectangle 1 ½" x 6 ½"

Log Cabin

- Construct the block by starting with the centre square.
- Add each new piece in the order indicated below, *making sure to press the new seam immediately*, pressing toward the newly added “log”. Continue in this manner until all the “logs” have been added to the block. (On the back of the block you will note that all seams are pressed to the outside edge of the block.)

